



We want assembly to be easy. Please feel free to contact us if you have any questions: 812-929-3932

Here's what's in the packages

Your parts may look a little different from these, depending on the table you ordered.

Table Top Halves and Leaf 	Expansion Carriage 
Kapok Base 	Hex key 
Carriage Bolts 	Leg/Base Bolts 
Leaf Supports 	Self Storing Leaf Option Only Leaf Support Bolts 

Quick Overview:

1. **Self-storing leaf option only:** Attach the leaf support tabs to the table top halves.
2. Attach the expansion carriage to the Kapok base.
3. Attach the table top halves to the slide carriage.
4. Adjust the alignment if necessary.

Self-Storing Leaf Option Only

- 1A) Place table top halves upside-down on a blanket or other soft surface.
- 1B) Attach the leaf supports to the table top halves using the leaf support bolts. The leaf supports only fit in the correct positions.



Try This:

Wiggle the hex key back and forth as you screw in the screws. This will help the threads align and prevent binding.



All Options:

2A) Place the expansion carriage onto the Kapok base. Be sure to align the center hole of the carriage with the center pin of the Kapok base.

2B) Attach the expansion carriage using the four leg/base bolts. Fully tighten all of these bolts.



Try This:

Wiggle the hex key back and forth as you screw in the screws. This will help the threads align and prevent binding.

3. Carefully place the table top halves on the expansion carriage and attach using the eight carriage bolts. Leave each bolt loose until all bolts are in place, then lightly tighten.



4. Check alignment.
 - Open the table top halves by pulling them apart, extending the slides.
 - Insert the table leaf (or open the self-storing leaf) and GENTLY close the table by pushing the outer halves together.
 - Check the alignment of the pins in the edge of the table top sections. If the pins do not align with their corresponding holes, proceed to step 5. If they do align assembly is finished.
5. If table pins do not align, adjust the carriage:
 - Loosen the carriage bolts (not the leg bolts).
 - Push the table sections and leaf together fully, gently jiggling them sideways if necessary to align the pins.
 - Once the table top sections are aligned and fully together, tighten the carriage bolts.